#### characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

Dimensions in mm			
	Seat:	H:	580-850
Packing data	Weight	kg	14,0
	Volume	m³	0,15



Base equipment		Benefit
Backrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support.	Healthy posture due to a hump providing support for the back in the lumbar region.
Seat	Backrest height adjustment convenient and easy to handle in sitting position. Ergonomically designed seat with rounded front edge.	The support area can be adapted in accordance to the user's body size. The round front edge of the seat prevents blocked circulation in the thighs.
Seat and backrest design	Synthetic leather upholstery: High-level synthetic leather. Resistant to disinfectants, washable and easy-care	The soft and comfortable upholstery provides a comfortable feel. However, damages caused by sharp parts can not be excluded.
	Selectable in following colours: black (0551) blue (0562)	Ideal for the use in production and laboratory.
Seat height	Stepless seat height setting from 580 - 850 mm supported by safety gas spring with protective cover.	Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt.
Technology	Permanent contact-backrest	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time.The backrest can also be locked into any tilt position if required.
	Quick adjustment	Every function can be operated comfortable and easy in sitting position.
Base	Black 5 star base made from plastic. Flat design.	Very high stability, longevity and safety Flat design prevents stumbling hazard.
Glides	Wearproof plastic glides with a large surface Area.	Offer a superb level of stability.
Foot ring	Chrome-plated foot ring, adjustable in height.	Provides support through the wide tread area and can be easily and quickly adjusted in height.
Materials	The materials used are recyclable.	Environmentally friendly.
Standards	DIN 68 877 German GS "safety tested" mark of confirmity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 and	Procuring is insured.
Warranty	Environmental Management System DIN ISO 14001. 10 year long term warranty, 3 years full warranty.	Guaranteed quality and high efficiency.

# bimos

. . . . . . . . . .

. . . . . . . . . .

## bimos

#### characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

	Seat:	H:	580-850
Packing data	Weight	kg	14,0
	Volume	m³	0,15



### bimos

#### characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

Dimensions in mm			
	Seat:	H:	580-850
Decking data			11.0
Packing data	Weight	kg	14,0
	Volume	m³	0,15



Options

Armrests

Made of polyamide, adjustable in width (20 mm). The armrests are adjustable in height, width and depth to

-----

Loop armrest

Multifunctional armrest

suit the individual user.

Benefit