

adapt[®] 700 easiSpec


Seating Assessment / Specification Form

User Weight







User Height

Min: 1500mm
Max: 2200mm



Chair Action

Asynchronous Pelvic-Tilt



- 1 Seat to shoulder (Back Height)
- 2 Back of buttock to back of knee (Seat Depth)
- 3 Hip width at widest point (Seat width)
- 4 Floor to underside of knee (Seat Height)

Min	Max
450mm	660mm
420mm	610mm
620mm	620mm
430mm	640mm

Client

Company

Assessor

Date

Seating Assessment / Specification Form

BACK REST



Please tick required option

Please enter required dimensions

CHAIR CODE


Width Reduction

Height Reduction

700

Not Available

HEIGHT mm



- The Back Width on the adapt700 is standard at 560mm. The Back Height however may be customised to allow for more comfortable positioning of Neck Rest (if required).
- Minimum Back Height available 450mm Please state required height
- If using a neck support, subtract 80mm from the Nape of Neck measurement in order to calculate ideal back height

SEAT

Please enter required dimensions

CHAIR CODE


Width

Depth Required

700

WIDTH: 620 mm

DEPTH: to.....mm



- Use Back of Buttock to Back of Knee measurement and subtract 30mm to calculate the optimum seat depth
- Seat depth is 570mm as standard but can be reduced to a minimum start point of 420mm
- Seat Width is fixed standard at 620mm

SEAT HEIGHT



Please tick required option (approx height)

GAS CODE

HD 9"



570 - 710 mm

HD 7"




520 - 630 mm

HD 5"



530 - 610 mm

SLOCK



HD 5"

HD 7"

HD 9"

GAS COLUMN

SWIVEL LOCK >

PLEASE SPECIFY WHICH HEIGHT GAS COLUMN YOU REQUIRE WITH THE SLOCK

BASE



Please tick required option

HD Aluminium Base as standard



ARM OPTIONS

Level One Adaptations


Please tick required option



ARM CODE HAA 1234 3D Trigger 4D

ARM PAD ENHANCEMENTS

Please tick required option




PAD CODE UPARM GEL PADS

Compatible with HAA & 1234
 • Standard seat surface to underside of arm
 Arm Height is 150 - 240mm

HEAD SUPPORT

Please tick required option




HEAD CODE HEAD REST NECK ROLL NECK CURVE V-REST

SEAT ENHANCEMENT


Level Two Adaptations

Please tick required option



ENHANCE CODE /CC /CZ MFS /TS


Please tick required option




ENHANCE CODE WAVE

Please specify required **SEAT DEPTH**
 ie. Back of Buttock to Back of Knee L&R -30mm
R (when sitting)mm
L (when sitting)mm

Measure distance from seat surface to centre of Air Cell and enter as X+



LOCATE CENTRE OF AIR CELL AT X+MM




LUMBAR CELL (STD)

Unless stated otherwise, lumbar cell position will be centred at approx 180mm above seat surface as standard


**(OPTIONAL)
BACK
ENHANCEMENTS**

Level two Adaptations (continued)

Please tick box option and state the required dimensions if different from those shown



Measure distance from seat surface to centre of Air Cell and enter as X+




SACRAL CELL

LOCATE CENTRE OF AIR CELL AT


X+mm

CODE

SACRAL CELL



Measure distance from seat surface to centre of Air Cell and enter as X+




/3LUM REACTIVE LUMBAR CELL

LOCATE CENTRE OF AIR CELL AT

X+mm


CODE

/3LUM



Measure distance from seat surface to centre of Air Cell and enter as X+

Measure distance from centre of back rest to centre of Air Cell and enter as Y+/-



/VSL /VSR VERTICAL CELL


LOCATE CENTRE OF AIR CELL AT

X+mm
Y+mm
Y-mm

CODE


/VSR

/VSL



Measure distance from seat surface to centre of Air Cell and enter as X+

If not using centrally, measure distance from centre of back rest to centre of Air Cell and enter as Y+/-




THORACIC CELL

LOCATE CENTRE OF AIR CELL AT

X+mm
And (if not central)
Y+mm
Y-mm

CODE

/THOR



Sculpted Back Foam and Bespoke Seat Shaping. Please provide separate detailed information

CODE

MFB

SCULP

SOFT WHEEL CASTORS

CODE SWC

BRAKE UNLOADED CASTORS

CODE BUC

BRAKE LOADED CASTORS

CODE BLC