



# TECHNICAL SPECIFICATION SHEET



**PRODUCT NAME:** Rodney

**PRODUCT CODE:** SUN/001

Doc Rev 2.

Product Rev #G

04.08.2016 CF



\*Note all dimensions provided are measured in mm

## KEY FEATURES

- Multi award winning design
- Tilt adjustment to avoid glare
- Integral cable management
- Supplied all in one box providing a cost effective solution
- Easy fit desk clamp suitable for desk thickness of 13mm – 38mm

<b>Product Classification</b>	Monitor Arms
<b>Max load</b>	8.5kg (18.7lb)
<b>Horizontal Range</b>	430mm
<b>Vertical Range</b>	160mm
<b>Recycled content</b>	12.17%
<b>Total product recyclable</b>	100%

## LOGISTICAL

---

<b>Box contains</b>	Arm, Vesa Head, Clamp, fixings
<b>Product net weight:</b>	2.75 kg
<b>Box dims (HxWxD)</b>	410 x 135 x 110 mm
<b>Box gross weight</b>	2.8 kg
<b>Carton quantity</b>	8
<b>Master dims (HxWxD)</b>	580 x 430 x 230 mm
<b>Master weight</b>	25.1 kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

<b><u>Product Description</u></b>	<b><u>Product code</u></b>	<b><u>Colour</u></b>
Rodney Monitor Arm	SUN/001	:/B Black, :/W White or :/S Silver

## WARRANTY

---

<b>Warranty Term</b>	Limited lifetime
----------------------	------------------

## COMPLIANCE & SAFETY CERTIFICATION

---

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).


<b>Conformance certification</b>	N/A
<b>Test authority</b>	CBS
<b>Safety certification</b>	N/A

## ENVIRONMENTAL


Material Make-up			Total Recycled Content	Breakdown of Recycled Content		Total Recyclable	
Overall Product			Overall Product			Overall Product	
Material type	Total Material type weight (g)	Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
Aluminium	3	0.1%	0.12%	0.06%	0.06%	3	0.1%
Steel	2222	92.7%	12.05%	2.05%	10.00%	2222	92.7%
Plastic	168	7.0%	0.00%	0.00%	0.00%	168	7.0%
Rubber	4	0.2%	0.00%	0.00%	0.00%	4	0.2%
<b>Total</b>	<b>2397</b>	<b>100.0%</b>	<b>12.17%</b>	<b>2.11%</b>	<b>10.06%</b>	<b>2397</b>	<b>100.0%</b>

PIR = Post Industrial Recycled  
PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



## CLEANING, STORAGE & MAINTENANCE

### Routine servicing

Periodic inspection

### Service components

Available to order

### Cleaning & Maintenance

Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces

### Handling & Storage

Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.